

TECNIS®
1-Piece IOL
with TECNIS SIMPLICITY™ Delivery System
+
TECNIS
SIMPLICITY®
DELIVERY SYSTEM


TECNIS® 1

Aspheric IOL

Product Code:	DCB00	
OPTIC CHARACTERISTICS		
Power Range:	+5.0 D to +34.0 D in 0.5 diopter increments	
Diameter:	6.0 mm	
Shape:	Biconvex, anterior aspheric surface	
Material:	UV-blocking hydrophobic acrylic	
Refractive Index:	1.47 at 35ºC	
Edge Design:	ProTEC 360° Edge; frosted edge design; continuous uninterrupted posterior square edge	
OPTICAL BIOMETRY/ APPLANATION ULTRASOUND BIOMETRY		
A-constant:	119.3*	118.8†
Theoretical AC Depth:	5.7 mm	5.4 mm
Surgeon Factor[1]:	1.96 mm	1.68 mm
HAPTIC CHARACTERISTICS		
Lens Overall Diameter:	13.0 mm	
Style:	C	
Design:	Tri-Fix, haptics offset from optics, 1-piece lens	
Incision size:	2.2 mm – 2.4 mm	

TECNIS® 1


Aspheric IOL





TECNIS® 1

Aspheric IOL



LIO TECNIS® 1 Pieza DCB00